


Integration of One-Forms on P-adic Analytic Spaces



[Integration of One-Forms on P-adic Analytic Spaces_ 下载链接1](#)

著者:Berkovich, Vladimir G.

出版者:Princeton Univ Pr

出版时间:2006-11

装帧:Pap

isbn:9780691128627

Among the many differences between classical and p -adic objects, those related to differential equations occupy a special place. For example, a closed p -adic analytic one-form defined on a simply-connected domain does not necessarily have a primitive in the class of analytic functions. In the early 1980s, Robert Coleman discovered a way to construct primitives of analytic one-forms on certain smooth p -adic analytic curves in a bigger class of functions. Since then, there have been several attempts to generalize his ideas to smooth p -adic analytic spaces of higher dimension, but the spaces considered were invariably associated with algebraic varieties. This book aims to show that every smooth p -adic analytic space is provided with a sheaf of functions that includes all analytic ones and satisfies a uniqueness property. It also contains local primitives of all closed one-forms with coefficients in the sheaf that, in the case considered by Coleman, coincide with those he constructed. In consequence, one constructs a parallel transport of local solutions of a unipotent differential equation and an integral of a closed one-form along a path so that both depend nontrivially on the homotopy class of the path. Both the author's previous results on geometric properties of smooth p -adic analytic spaces and the theory of isocrystals are further developed in this book, which is aimed at graduate students and mathematicians working in the areas of non-Archimedean analytic geometry, number theory, and algebraic geometry.

作者介绍:

目录:

[Integration of One-Forms on P-adic Analytic Spaces_ 下载链接1](#)

标签

评论

[Integration of One-Forms on P-adic Analytic Spaces_ 下载链接1](#)

[Integration of One-Forms on P-adic Analytic Spaces_下载链接1](#)